

*JPW*

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Reply, Please Refer to the Application of:

TERRY, Alvin Mark

Serial No.: 10/645,046

Filed: August 21, 2003

Confirmation No.: 6537

Atty. File No.: 41942-05541

For: "CEPSTRAL DOMAIN PULSE  
OXIMETRY"

) Group Art Unit: 3736

)

) Examiner: WINAKUR, Eric Frank

)

) SUBMISSION OF FORMAL DRAWINGS

)

)

)

)

)

)

)


)

)

)

)

)



**ATTN: DRAWING REVIEW BRANCH**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir or Madam:

In response to the Notice of Non-Compliant Amendment having a mailing date of February 3, 2006, regarding the above-identified patent application, enclosed for filing with said application are 19 replacement sheets of formal, inked drawings illustrating Figs. 1-11B of the application. Figs. 1-11B constitute all of the drawings in the application.

Respectfully submitted,

MARSH FISCHMANN & BREYFOGLE LLP

Date: Feb. 21, 2006

By: Robert B. Berube

Robert B. Berube

Registration No. 39,608

3151 South Vaughn Way, Suite 411

Aurora, Colorado 80014

Telephone: 303-338-0997

Facsimile: 303-338-1514